

Undefined truss member

A structural member designed to carry loads between or beyond points of support. The orientation of the member (being horizontal, vertical or sloped) is not relevant to its definition (contrary to a beam or column). A member represents a linear structural element from an architectural or structural modeling point of view and shall be used if it cannot be expressed more specifically as either a beam or a column. It can also simply be an architectural element which is non-load bearing.

An undefined truss member is a linear structural member within a truss or girder that cannot be defined as a truss chord, truss strut or truss tie (brace).

IfcElementType	IfcMember	=IfcExportAs (REVIT)
IfcPredefinedType	MEMBER	=IfcExportType (REVIT)
Suggested Filename:	Truss_Member	
Suggested LOD (Design Model)	300	
Suggested Primary Discipline	Structural	

Source	Property Categories	Classification	
BIM Forum	Admin data	Masterformat	05 44 00 : Cold-Formed Metal Trusses
IFC 2x3	Code compliance data		06 13 26 : Heavy Timber Trusses
IFC4 Add2	Construction logistics data		06 17 53 : Shop-Fabricated Wood Trusses
NATSPEC BIM	Cost data		05 19 10 : Tension Rod and Cable Truss Assemblies
NATSPEC Spec	Facilities management data		
	Geometric data	NatspecWorksection	0341 Structural steelwork
	Manufacturer data		0342 Light steel framing
	Performance data		0381 Structural timber
	Scheduling data		0382 Light timber framing
	Spatial and location data	Omniclass Table 21 Elements	21-02 10 : Superstructure
	Specification data	Omniclass Table 22 Work Results	22-05 19 00 : Tension Rod and Cable Truss Assemblies

	22-05 44 00 : Cold-Formed Metal Trusses
	22-06 13 26 : Heavy Timber Trusses
	22-06 17 53 : Shop-Fabricated Wood Trusses
Omniclass Table 23 Products	23-13 35 19 13 : Trussed Beams and Joists
Uniclass Elements	EF_20_10 : Frames
Uniclass Products	Pr_20_85_90 : Trusses and lattice frames
Uniclass Systems	Ss_20_10_75 : Structural framing systems
Unifomat	B10 : Superstructure

Property	Source	Description
Admin data		
CreatedBy	NATSPEC BIM	The name of the person, organisation or library provider that created the object.
CreatedByURL	NATSPEC BIM	URL hyperlink to the object creator's website.
ModifiedIssue	NATSPEC BIM	To record the last date of issue (version or revision) of the object within an object library. Add the date in the following format <yyyymmdd.no> where the 'no' suffix is equal to the number of times the object has been issued on that date. For example 20180316.01.
Reference	Pset_MemberCommon (IFC4) Pset_MemberCommon (IFC2x3)	Reference ID for a specified type in a project (e.g. type 'A-1'). Also known as Construction type. Provide as an alternative to the name of the object type, if software does not support object types.
Revision	NATSPEC BIM	For indicating the object revision within project model.
Code compliance data		
FireRating	NATSPEC BIM Pset_MemberCommon (IFC4) Pset_MemberCommon (IFC2x3)	Fire rating of object. Also known as the FRL (Fire Resistance Level) e.g. 60/60/60.
Fireproofed	BIM Forum	
Construction logistics data		
ConstructionMethod	NATSPEC BIM	
GrossWeight	Qto_MemberBaseQuantities (IFC4)	
NetWeight	Qto_MemberBaseQuantities (IFC4)	Takes all openings or recesses into account.
Status	Pset_MemberCommon (IFC4)	Status of the object, predominately used in renovation or retrofitting projects. Complete value with: NEW, EXISTING, DEMOLISH,

		TEMPORARY, OTHER, NOTKNOWN or UNSET
Cost data		
AdditionalTax	NATSPEC BIM	
AssemblyCost	NATSPEC BIM	
AssetAccountingType	Pset_Asset (IFC4)Pset_Asset (IFC2x3)	Asset type for accounting purposes. Complete value with: FIXED, NONFIXED, OTHER, NOTKNOWN or UNSET (PEnum_AssetAccountingType)
AssetInsuranceType	Pset_Asset (IFC4)Pset_Asset (IFC2x3)	Type of insurance rating. Complete value with: PERSONAL, REAL, OTHER, NOTKNOWN or UNSET (PEnum_AssetInsuranceType)
AssetTaxType	Pset_Asset (IFC4)Pset_Asset (IFC2x3)	Type of taxation group. Complete value with: CAPITALISED, EXPENDED, OTHER, NOTKNOWN or UNSET (PEnum_AssetTaxType)
ConceptualCost	NATSPEC BIM	
CostOverRun	NATSPEC BIM	
FutureCostAssumptions	NATSPEC BIM	
InstallationCost	NATSPEC BIM	
InstalledCost	NATSPEC BIM	
PurchaseInformation	NATSPEC BIM	
RecordedActualCost	NATSPEC BIM	
TotalOwnershipCost	NATSPEC BIM	
Facilities management data		
AcquisitionDate	Pset_ManufacturerOccurrence (IFC4) Pset_ManufacturerOccurrence (IFC2x3)	Date the item was purchased (Format: YYYY-MM-DD).

AssessmentCondition	NATSPEC BIMPset_Condition (IFC4)	Overall condition rating based on assessment. Rating scale to be agreed prior (e.g. Good, OK , Poor).
AssessmentDate	Pset_Condition (IFC4)	Date of overall condition assessment (Format: YYYY-MM-DD).
AssessmentDescription	Pset_Condition (IFC4)	Qualitative description of the condition.
ComponentID	NATSPEC BIM	
Exclusions	Pset_Warranty (IFC4)Pset_Warranty (IFC2x3)	Items, conditions or actions that may be excluded from the warranty or that may cause the warranty to become void.
ExpectedLife	NATSPEC BIM	Expected serviceable life of object.
IsExtendedWarranty	Pset_Warranty (IFC4)Pset_Warranty (IFC2x3)	Complete value with: TRUE or FALSE (IfcBoolean)
WarrantyContent	NATSPEC BIMPset_Warranty (IFC4)Pset_Warranty (IFC2x3)	Description of what is included in warranty.
WarrantyEndDate	NATSPEC BIMPset_Warranty (IFC4)Pset_Warranty (IFC2x3)	Format: YYYY-MM-DD.
WarrantyIdentifier	Pset_Warranty (IFC4)Pset_Warranty (IFC2x3)	Identifier assigned to warranty.
WarrantyPeriod	Pset_Warranty (IFC4)Pset_Warranty (IFC2x3)	
WarrantyStartDate	NATSPEC BIMPset_Warranty (IFC4)Pset_Warranty (IFC2x3)	Format: YYYY-MM-DD.
Geometric data		
AISCShapeTypeSize	BIM Forum	
CrossSectionArea	NATSPEC BIM Qto_MemberBaseQuantities (IFC4)	

Depth	NATSPEC BIM	
GrossSurfaceArea	Qto_MemberBaseQuantities (IFC4)	
GrossVolume	NATSPEC BIM Qto_MemberBaseQuantities (IFC4)	
Length	NATSPEC BIM Qto_MemberBaseQuantities (IFC4)	
NetSurfaceArea	Qto_MemberBaseQuantities (IFC4)	Takes all openings or recesses into account.
NetVolume	Qto_MemberBaseQuantities (IFC4)	Takes all openings or recesses into account.
OuterSurfaceArea	Qto_MemberBaseQuantities (IFC4)	
Slope	NATSPEC BIM Pset_MemberCommon (IFC4) Pset_MemberCommon (IFC2x3)	Slope relative to the horizontal.
Span	Pset_MemberCommon (IFC4) Pset_MemberCommon (IFC2x3)	
Width	NATSPEC BIM	
Manufacturer data		
Accessories	NATSPEC BIM	Details of available accessories.
ArticleNumber	Pset_ManufacturerTypeInformation (IFC4) Pset_ManufacturerTypeInformation (IFC2x3)	Reference applied to product, according to scheme for article number definition defined by manufacturer. Often used as purchasing number.
AssemblyPlace	NATSPEC BIM Pset_ManufacturerTypeInformation (IFC4)	Defines where assembly is to take place. Complete value with: SITE, FACTORY or NOTDEFINED (IfcAssemblyPlaceEnum)
BarCode	Pset_ManufacturerOccurrence (IFC4) Pset_ManufacturerOccurrence (IFC2x3)	Bar code given to occurrence of the product.
	Pset_ManufacturerOccurrence (IFC4)	Identity of the batch from which the occurrence of the product is

BatchReference	Pset_ManufacturerOccurrence (IFC2x3)	taken.
Defects	NATSPEC BIM	To record any defects found.
FabricationSequenceNumber	BIM Forum	
GlobalTradeItemNumber	Pset_ManufacturerTypeInformation (IFC4)	GTIN is an identifier for trade items developed by GS1 (www.gs1.org).
Manufacturer	NATSPEC BIM Pset_ManufacturerTypeInformation (IFC4) Pset_ManufacturerTypeInformation (IFC2x3)	Name of the manufacturer (or assembler).
ManufacturerURL	NATSPEC BIM	URL hyperlink to the manufacturer's website.
ModelLabel	Pset_ManufacturerTypeInformation (IFC4)	The descriptive model name of the product model (or product line) as assigned by the manufacturer of the manufactured item.
ModelLabel	Pset_ManufacturerTypeInformation (IFC2x3)	The model number and/or unit designator assigned by the manufacturer of the manufactured item.
ModelReference	Pset_ManufacturerTypeInformation (IFC4)	The model number or designator of the product model (or product line) as assigned by the manufacturer of the manufactured item.
ModelReference	Pset_ManufacturerTypeInformation (IFC2x3)	The name of the manufactured item as used by the manufacturer.
PointOfContact	Pset_Warranty (IFC4) Pset_Warranty (IFC2x3)	Organization that should be contacted for action under the terms of the warranty.
ProductionYear	Pset_ManufacturerTypeInformation (IFC4) Pset_ManufacturerTypeInformation (IFC2x3)	
SerialNumber	Pset_ManufacturerOccurrence (IFC4) Pset_ManufacturerOccurrence (IFC2x3)	Serial number assigned to an occurrence of a product.
Performance data		

ThermalTransmittance	Pset_MemberCommon (IFC4)	Thermal transmittance coefficient (U-Value).
Scheduling data		
InstallationSequence	NATSPEC BIM	
InstallationTime	NATSPEC BIM	
LeadTime	NATSPEC BIM	
Spatial and location data		
FloorID	NATSPEC BIM	
GISTag	NATSPEC BIM	
GPSTag	NATSPEC BIM	
SpaceID	NATSPEC BIM	
Specification data		
AESSCategory	BIM Forum	
ASTMMaterialGrade	BIM Forum	
Coating	BIM Forum	
Finish	NATSPEC BIM	Specification of surface finish.
IsExternal	Pset_MemberCommon (IFC4) Pset_MemberCommon (IFC2x3)	Complete value with: TRUE or FALSE (IfcBoolean)
LoadBearing	Pset_MemberCommon (IFC4) Pset_MemberCommon (IFC2x3)	Indicates if object is intended to carry loads. Complete value with: TRUE or FALSE (IfcBoolean)
Material	NATSPEC BIM	
Roll	Pset_MemberCommon (IFC4)	Rotation against the longitudinal axis.

SpecificationCode	NATSPEC BIM	
SpecificationSystem	NATSPEC BIM	
SpecificationTitle	NATSPEC BIM	
SteelCoating	NATSPEC Spec	
SteelGrade	NATSPEC Spec	
TimberDurabilityClass	NATSPEC Spec	
TimberSpecies	NATSPEC Spec	
TimberStressGrade	NATSPEC Spec	
TimberType	NATSPEC Spec	
TypicalWeldSpecifications	BIM Forum	