

Bath

A sanitary terminal is a fixed appliance or terminal usually supplied with water and used for drinking, cleaning or foul water disposal.

A bath is a sanitary terminal for immersion of the human body or parts of it.

IfcElementType	IfcSanitaryTerminal	=IfcExportAs
IfcPredefinedType	BATH	=IfcExportType
Suggested Filename:	Bath	
Suggested LOD (Design Model)	300	
Suggested Primary Discipline	Plumbing, Interiors	

Source

Property Categories

Classification

BIM Forum	Admin data	Masterformat	22 42 19 : Commercial Bathtubs
COBie	Code compliance data		22 43 19 : Healthcare Bathtubs
IFC 2x3	Construction logistics data		22 41 19 : Residential Bathtubs
IFC4 Add2	Cost data	NatspecWorksection	0811 Sanitary fixtures
NATSPEC BIM	Facilities management data	Omniclass Table 21 Elements	21-04 20 20 10 : Sanitary Sewerage Equipment
NATSPEC Spec	Geometric data		
	Manufacturer data	Omniclass Table 22 Work Results	22-22 41 19 : Residential Bathtubs 22-22 42 19 : Commercial Bathtubs 22-22 43 19 : Healthcare Bathtubs
	Scheduling data		
	Spatial and location data		
	Specification data	Omniclass Table 23 Products	23-25 29 11 11 : Therapeutic Baths 23-25 45 11 15 : Patient Baths 23-25 45 11 25 : Physically Challenged Baths and Showers 23-31 15 00 : Bathtubs
	Sustainability data		
		Uniclass Elements	EF_40_20 : Fittings
		Uniclass Products	Pr_40_20_06_02 : Accessible baths

Pr_40_20_06_08 : Baths

Pr_40_20_06_36 : Health care general baths

Pr_40_20_06_99 : Whirlpool baths

Uniclass Systems

Ss_40_15_75_05 : Bath systems

Unifomat

D2020.10 : Sanitary Sewerage Equipment

Property	Source	Description
Admin data		
CreatedBy	NATSPEC BIM	The name of the person, organisation or library provider that created the object.
CreatedByURL	NATSPEC BIM	URL hyperlink to the object creator's website.
ModifiedIssue	NATSPEC BIM	To record the last date of issue (version or revision) of the object within an object library. Add the date in the following format <yyyymmdd.no> where the 'no' suffix is equal to the number of times the object has been issued on that date. For example 20180316.01.
Reference	PSet_SanitaryTerminalTypeCommon (IFC4)	Reference ID for a specified type in a project (e.g. type 'A-1'). Also known as Construction type. Provide as an alternative to the name of the object type, if software does not support object types.
Code compliance data		
FireRating	NATSPEC BIM	Fire rating of object. Also known as the FRL (Fire Resistance Level) e.g. 60/60/60.
Construction logistics data		
ConstructionMethod	NATSPEC BIM	
GrossWeight	Qto_SanitaryTerminalBaseQuantities (IFC4)NATSPEC BIM	
ShippingWeight	NATSPEC BIM	
Status	BIM Forum PSet_SanitaryTerminalTypeCommon (IFC4)	Status of the object, predominately used in renovation or retrofitting projects. Complete value with: NEW, EXISTING, DEMOLISH, TEMPORARY, OTHER, NOTKNOWN or UNSET
StoragePlacementOnSite	NATSPEC BIM	

Cost data		
AdditionalTax	NATSPEC BIM	
AssemblyCost	NATSPEC BIM	
AssetAccountingType	Pset_Asset (IFC4)Pset_Asset (IFC2x3)	Asset type for accounting purposes. Complete value with: FIXED, NONFIXED, OTHER, NOTKNOWN or UNSET (PEnum_AssetAccountingType)
AssetInsuranceType	Pset_Asset (IFC4)Pset_Asset (IFC2x3)	Type of insurance rating. Complete value with: PERSONAL, REAL, OTHER, NOTKNOWN or UNSET (PEnum_AssetInsuranceType)
AssetTaxType	Pset_Asset (IFC4)Pset_Asset (IFC2x3)	Type of taxation group. Complete value with: CAPITALISED, EXPENDED, OTHER, NOTKNOWN or UNSET (PEnum_AssetTaxType)
ConceptualCost	NATSPEC BIM	
CostOverRun	NATSPEC BIM	
FutureCostAssumptions	NATSPEC BIM	
InstallationCost	NATSPEC BIM	
InstalledCost	NATSPEC BIM	
PurchaseInformation	NATSPEC BIM	
RecordedActualCost	NATSPEC BIM	
ShippingCost	NATSPEC BIM	
TotalOwnershipCost	NATSPEC BIM	
Facilities management data		
AccessibilityPerformance	COBie_ElementTypeCOBie_Specification	Accessibility issue(s) that product satisfies.

AcquisitionDate	Pset_ManufacturerOccurrence (IFC4) Pset_ManufacturerOccurrence (IFC2x3)	Date the item was purchased (Format: YYYY-MM-DD).
AssessmentCondition	NATSPEC BIM Pset_Condition (IFC4)	Overall condition rating based on assessment. Rating scale to be agreed prior (e.g. Good, OK , Poor).
AssessmentDate	Pset_Condition (IFC4)	Date of overall condition assessment (Format: YYYY-MM-DD).
AssessmentDescription	Pset_Condition (IFC4)	Qualitative description of the condition.
AssetIdentifier	COBie_Component	Alternative identifier for specific component, used as defined by contract.
AssetType	COBie_Asset COBie_ElementType	Complete value with: 'Fixed' or 'Movable'
Category	COBie	Classification code.
CodePerformance	COBie_ElementType COBie_Specification	Code compliance requirement(s) that product satisfies.
ComponentID	BIM Forum NATSPEC BIM	
Constituents	COBie_ElementType COBie_Specification	Details of various parts of the object.
Description	COBie	Concise description of the object.
DurationUnit	COBie	Units used to record expected life duration. Typically 'year'.
Exclusions	Pset_Warranty (IFC4) Pset_Warranty (IFC2x3)	Items, conditions or actions that may be excluded from the warranty or that may cause the warranty to become void.
ExpectedLife	NATSPEC BIM COBie	Expected serviceable life of object.
Features	COBie_ElementType COBie_Specification	Primary features or important characteristics of the product.
Grade	COBie_ElementType COBie_Specification	Standard grading(s) to which the product corresponds.
InstallationDate	NATSPEC BIM COBie_Component	Format: YYYY-MM-DD.

IsExtendedWarranty	Pset_Warranty (IFC4) Pset_Warranty (IFC2x3)	Complete value with: TRUE or FALSE (IfcBoolean)
ModelNumber	COBie	Model number or designator of the product model (or product line) as assigned by the manufacturer.
Name	COBie	Unique human readable name for object type.
ReplacementCost	NATSPEC BIM COBie_EconomicImpactValues COBie_ElementType	Cost to replace product.
Shape	COBie_ElementType COBie_Specification	Characteristic shape of the object. e.g. Square.
SustainabilityPerformance	COBie_ElementType COBie_Specification	Sustainability issue(s) that product satisfies.
TagNumber	COBie_Component	Tag number for product or equipment at installation.
WarrantyContent	NATSPEC BIM Pset_Warranty (IFC4) Pset_Warranty (IFC2x3)	Description of what is included in warranty.
WarrantyDescription	COBie_Warranty	Concise description of warranty content and any items, conditions or actions that are excluded from warranty or that will cause the warranty to become void.
WarrantyDurationLabor	COBie_Warranty	Duration of labour warranty.
WarrantyDurationParts	COBie_Warranty	Duration of parts warranty.
WarrantyDurationUnit	COBie	Units used to record warranty durations. Typically 'year'.
WarrantyEndDate	NATSPEC BIM Pset_Warranty (IFC4) Pset_Warranty (IFC2x3)	Format: YYYY-MM-DD.
WarrantyGuarantorLabor	COBie_Warranty	email address for organisation responsible for labour warranty.
WarrantyGuarantorParts	COBie_Warranty	email address for organisation responsible for parts warranty.
	Pset_Warranty (IFC4) Pset_Warranty	

WarrantyIdentifier	(IFC2x3)	Identifier assigned to warranty.
WarrantyPeriod	Pset_Warranty (IFC4) Pset_Warranty (IFC2x3)	
WarrantyStartDate	NATSPEC BIM COBie_Component Pset_Warranty (IFC4) Pset_Warranty (IFC2x3)	Format: YYYY-MM-DD.
Geometric data		
Capacity	NATSPEC BIM	
DrainSize	BIM Forum PSet_SanitaryTerminalTypeBath (IFC4) NATSPEC Spec PSet_SanitaryTerminalTypeBath (IFC2x3)	Size of drain outlet connection from object.
GrossVolume	NATSPEC BIM	
MaterialThickness	NATSPEC Spec PSet_SanitaryTerminalTypeBath (IFC2x3)	
NominalDepth	BIM Forum NATSPEC BIM PSet_SanitaryTerminalTypeCommon (IFC4) NATSPEC Spec PSet_SanitaryTerminalTypeBath (IFC2x3)	
NominalHeight	COBie_ElementType COBie_Specification	Typically the vertical characteristic dimension of the object.
NominalLength	BIM Forum NATSPEC BIM COBie_ElementType COBie_Specification PSet_SanitaryTerminalTypeCommon (IFC4) NATSPEC Spec PSet_SanitaryTerminalTypeBath (IFC2x3)	Typically the primary or larger of the two perpendicular horizontal dimensions of the object.
NominalWidth	BIM Forum NATSPEC BIM COBie_ElementType COBie_Specification	Typically the secondary or smaller of the two perpendicular

	PSet_SanitaryTerminalTypeCommon (IFC4) NATSPEC Spec PSet_SanitaryTerminalTypeBath (IFC2x3)	horizontal dimensions of the object.
Size	NATSPEC BIM COBie_ElementType COBie_Specification NATSPEC Spec	
Manufacturer data		
Accessories	NATSPEC BIM	Details of available accessories.
ArticleNumber	Pset_ManufacturerTypeInformation (IFC4) Pset_ManufacturerTypeInformation (IFC2x3)	Reference applied to product, according to scheme for article number definition defined by manufacturer. Often used as purchasing number.
AssemblyPlace	NATSPEC BIM Pset_ManufacturerTypeInformation (IFC4)	Defines where assembly is to take place. Complete value with: SITE, FACTORY or NOTDEFINED (IfcAssemblyPlaceEnum)
Availability	NATSPEC BIM	
BarCode	COBiePset_ManufacturerOccurrence (IFC4) Pset_ManufacturerOccurrence (IFC2x3)	Bar code given to occurrence of the product.
BatchReference	Pset_ManufacturerOccurrence (IFC4) Pset_ManufacturerOccurrence (IFC2x3)	Identity of the batch from which the occurrence of the product is taken.
Defects	NATSPEC BIM	To record any defects found.
GlobalTradeItemNumber	Pset_ManufacturerTypeInformation (IFC4)	GTIN is an identifier for trade items developed by GS1 (www.gs1.org).
Manufacturer	BIM Forum COBie NATSPEC BIM Pset_ManufacturerTypeInformation (IFC4) NATSPEC Spec Pset_ManufacturerTypeInformation (IFC2x3)	Name of the manufacturer (or assembler).
ManufacturerURL	NATSPEC BIM	URL hyperlink to the manufacturer's website.

ModelLabel	BIM Forum Pset_ManufacturerTypeInformation (IFC4) NATSPEC BIM	The descriptive model name of the product model (or product line) as assigned by the manufacturer of the manufactured item.
ModelLabel	Pset_ManufacturerTypeInformation (IFC2x3)	The model number and/or unit designator assigned by the manufacturer of the manufactured item.
ModelReference	BIM Forum Pset_ManufacturerTypeInformation (IFC4) NATSPEC BIM NATSPEC Spec	The model number or designator of the product model (or product line) as assigned by the manufacturer of the manufactured item.
ModelReference	Pset_ManufacturerTypeInformation (IFC2x3)	The name of the manufactured item as used by the manufacturer.
OrderNumber	NATSPEC BIM	
PointOfContact	Pset_Warranty (IFC4) Pset_Warranty (IFC2x3)	Organization that should be contacted for action under the terms of the warranty.
ProductInformation	NATSPEC BIM	A valid URL hyperlink to further product information, such as technical documentation, installation guides, etc.
ProductType	NATSPEC BIM	
ProductionYear	Pset_ManufacturerTypeInformation (IFC4) NATSPEC BIM Pset_ManufacturerTypeInformation (IFC2x3)	
SerialNumber	COBiePset_ManufacturerOccurrence (IFC4) NATSPEC BIM Pset_ManufacturerOccurrence (IFC2x3)	Serial number assigned to an occurrence of a product.
Scheduling data		
DeliverBy	NATSPEC BIM	
FabricationTime	NATSPEC BIM	

InstallationSequence	NATSPEC BIM	
InstallationTime	NATSPEC BIM	
LeadTime	NATSPEC BIM	
Spatial and location data		
FloorID	NATSPEC BIM	
GISTag	NATSPEC BIM	
GPSTag	NATSPEC BIM	
SpaceID	BIM ForumNATSPEC BIM	
StoryNumber	BIM Forum	
Specification data		
BathType	BIM Forum PSet_SanitaryTerminalTypeBath (IFC4) NATSPEC Spec PSet_SanitaryTerminalTypeBath (IFC2x3)	Complete value with: DOMESTIC, FOOT, POOL, PLUNGE, SITZ, SPA, TREATMENT, OTHER, NOTKNOWN or UNSET (PEnum_BathType)
Color	BIM ForumCOBie_ElementType COBie_Specification PSet_SanitaryTerminalTypeCommon (IFC4) NATSPEC Spec PSet_SanitaryTerminalTypeBath (IFC2x3)	
Finish	COBie_ElementTypeCOBie_Specification NATSPEC BIM	Specification of surface finish.
HasGrabHandles	BIM Forum PSet_SanitaryTerminalTypeBath (IFC4) PSet_SanitaryTerminalTypeBath (IFC2x3)	Complete value with: TRUE or FALSE (IfcBoolean)
Material	NATSPEC BIMCOBie_ElementType COBie_SpecificationNATSPEC Spec	

	PSet_SanitaryTerminalTypeBath (IFC2x3)	
Overflow	NATSPEC Spec	
SpecificationCode	NATSPEC BIM	
SpecificationSystem	NATSPEC BIM	
SpecificationTitle	NATSPEC BIM	
Sustainability data		
CarbonFootprint	NATSPEC BIM	
ItemIsNew	NATSPEC BIM	
ItemIsPartiallyRecycled	NATSPEC BIM	
ItemIsRecycled	NATSPEC BIM	
PostConsumerRecycledContent	NATSPEC BIM	
PostIndustrialRecycledContent	NATSPEC BIM	
PreConsumerRecycledContent	NATSPEC BIM	
RecycledContent	NATSPEC BIM	