

Suspended flush lined ceiling

A covering is an element which covers some part of another element and is fully dependent on that other element.

A ceiling is a covering used to finish, or create a void from, the (usually horizontal) structural soffit surface.

A suspended flush lined ceiling is suspended from the structural soffit to form a void and create a flush finished ceiling.

IfcElementType	IfcCovering	=IfcExportAs
IfcPredefinedType	CEILING	=IfcExportType
Suggested Filename:	Ceiling_Suspended_Flush	
Suggested LOD (Design Model)	200	
Suggested Primary Discipline	Architectural; Interiors	

Source

Property Categories

Classification

BIM Forum	Admin data	Masterformat	09 50 00 : Ceilings
COBie	Code compliance data	NatspecWorksection	0532 Suspended ceilings – flush lined
IFC 2x3	Construction logistics data	Omniclass Table 21 Elements	21-03 20 50 10 : Plaster and Gypsum Board Finish
IFC4 Add2	Cost data		21-03 20 50 80 : Acoustical Ceiling Treatment
NATSPEC BIM	Facilities management data	Omniclass Table 22 Work Results	22-09 50 00 : Ceilings
NATSPEC Spec	Geometric data	Omniclass Table 23 Products	23-15 19 23 11 : Suspended Ceilings
	Manufacturer data	Uniclass Elements	EF_30_10 : Roofs
	Performance data	Uniclass Products	Pr_20_85_32_22 : Demountable suspended ceiling grids
	Scheduling data		Pr_20_85_47_51 : Metal suspended ceiling hangers
	Spatial and location data		Pr_25_71 : Rigid board, panel and sheet products
	Specification data		
	Sustainability data		

Uniclass Systems

Ss_30_25_10_10 : Board suspended ceiling systems

Unifomat

C2050.80 : Acoustical Ceiling Treatment

C2050.10 : Plaster and Gypsum Board Finish

Property	Source	Description
Admin data		
CreatedBy	NATSPEC BIM	The name of the person, organisation or library provider that created the object.
CreatedByURL	NATSPEC BIM	URL hyperlink to the object creator's website.
ModifiedIssue	NATSPEC BIM	To record the last date of issue (version or revision) of the object within an object library. Add the date in the following format <yyyymmdd.no> where the 'no' suffix is equal to the number of times the object has been issued on that date. For example 20180316.01.
Reference	PSet_CoveringCommon (IFC4) PSet_CoveringCommon (IFC2x3)	Reference ID for a specified type in a project (e.g. type 'A-1'). Also known as Construction type. Provide as an alternative to the name of the object type, if software does not support object types.
Code compliance data		
FireGroupNumber	NATSPEC Spec	As per NCC in Australia.
FireRating	NATSPEC BIM PSet_CoveringCommon (IFC4) NATSPEC Spec PSet_CoveringCommon (IFC2x3)	Fire rating of object. Also known as the FRL (Fire Resistance Level) e.g. 60/60/60.
FlammabilityRating	PSet_CoveringCommon (IFC4) PSet_CoveringCommon (IFC2x3)	Flammability Rating of object. Also known as Flammability index.
SurfaceSpreadOfFlame	PSet_CoveringCommon (IFC4) PSet_CoveringCommon (IFC2x3)	Indication of how flames spread around surface, according to the applicable building code.
Construction logistics data		
ConstructionMethod	NATSPEC BIM	
GrossWeight	NATSPEC BIM	

ShippingWeight	NATSPEC BIM	
Status	PSet_CoveringCommon (IFC4)	Status of the object, predominately used in renovation or retrofitting projects. Complete value with: NEW, EXISTING, DEMOLISH, TEMPORARY, OTHER, NOTKNOWN or UNSET
StoragePlacementOnSite	NATSPEC BIM	
Cost data		
AdditionalTax	NATSPEC BIM	
AssemblyCost	NATSPEC BIM	
AssetAccountingType	Pset_Asset (IFC4)Pset_Asset (IFC2x3)	Asset type for accounting purposes. Complete value with: FIXED, NONFIXED, OTHER, NOTKNOWN or UNSET (PEnum_AssetAccountingType)
AssetInsuranceType	Pset_Asset (IFC4)Pset_Asset (IFC2x3)	Type of insurance rating. Complete value with: PERSONAL, REAL, OTHER, NOTKNOWN or UNSET (PEnum_AssetInsuranceType)
AssetTaxType	Pset_Asset (IFC4)Pset_Asset (IFC2x3)	Type of taxation group. Complete value with: CAPITALISED, EXPENDED, OTHER, NOTKNOWN or UNSET (PEnum_AssetTaxType)
ConceptualCost	NATSPEC BIM	
CostOverRun	NATSPEC BIM	
FutureCostAssumptions	NATSPEC BIM	
InstallationCost	NATSPEC BIM	
InstalledCost	NATSPEC BIM	
PurchaseInformation	NATSPEC BIM	
RecordedActualCost	NATSPEC BIM	

ShippingCost	NATSPEC BIM	
TotalOwnershipCost	NATSPEC BIM	
Facilities management data		
AccessibilityPerformance	COBie_ElementTypeCOBie_Specification	Accessibility issue(s) that product satisfies.
AcquisitionDate	Pset_ManufacturerOccurrence (IFC4) Pset_ManufacturerOccurrence (IFC2x3)	Date the item was purchased (Format: YYYY-MM-DD).
AssessmentCondition	NATSPEC BIM Pset_Condition (IFC4)	Overall condition rating based on assessment. Rating scale to be agreed prior (e.g. Good, OK , Poor).
AssessmentDate	Pset_Condition (IFC4)	Date of overall condition assessment (Format: YYYY-MM-DD).
AssessmentDescription	Pset_Condition (IFC4)	Qualitative description of the condition.
AssetIdentifier	COBie_Component	Alternative identifier for specific component, used as defined by contract.
AssetType	COBie_AssetCOBie_ElementType	Complete value with: 'Fixed' or 'Movable'
Category	COBie	Classification code.
CodePerformance	COBie_ElementTypeCOBie_Specification	Code compliance requirement(s) that product satisfies.
ComponentID	NATSPEC BIM	
Constituents	COBie_ElementTypeCOBie_Specification	Details of various parts of the object.
Description	COBie	Concise description of the object.
DurationUnit	COBie	Units used to record expected life duration. Typically 'year'.
Exclusions	Pset_Warranty (IFC4)Pset_Warranty (IFC2x3)	Items, conditions or actions that may be excluded from the warranty or that may cause the warranty to become void.

ExpectedLife	NATSPEC BIMCOBie	Expected serviceable life of object.
Features	COBie_ElementTypeCOBie_Specification	Primary features or important characteristics of the product.
Grade	COBie_ElementTypeCOBie_Specification	Standard grading(s) to which the product corresponds.
InstallationDate	NATSPEC BIMCOBie_Component	Format: YYYY-MM-DD.
IsExtendedWarranty	Pset_Warranty (IFC4) Pset_Warranty (IFC2x3)	Complete value with: TRUE or FALSE (IfcBoolean)
ModelNumber	COBie	Model number or designator of the product model (or product line) as assigned by the manufacturer.
Name	COBie	Unique human readable name for object type.
ReplacementCost	NATSPEC BIM COBie_EconomicImpactValues COBie_ElementType	Cost to replace product.
Shape	COBie_ElementTypeCOBie_Specification	Characteristic shape of the object. e.g. Square.
SustainabilityPerformance	COBie_ElementTypeCOBie_Specification	Sustainability issue(s) that product satisfies.
TagNumber	COBie_Component	Tag number for product or equipment at installation.
WarrantyContent	NATSPEC BIM Pset_Warranty (IFC4) Pset_Warranty (IFC2x3)	Description of what is included in warranty.
WarrantyDescription	COBie_Warranty	Concise description of warranty content and any items, conditions or actions that are excluded from warranty or that will cause the warranty to become void.
WarrantyDurationLabor	COBie_Warranty	Duration of labour warranty.
WarrantyDurationParts	COBie_Warranty	Duration of parts warranty.
WarrantyDurationUnit	COBie	Units used to record warranty durations. Typically 'year'.

WarrantyEndDate	NATSPEC BIM Pset_Warranty (IFC4) Pset_Warranty (IFC2x3)	Format: YYYY-MM-DD.
WarrantyGuarantorLabor	COBie_Warranty	email address for organisation responsible for labour warranty.
WarrantyGuarantorParts	COBie_Warranty	email address for organisation responsible for parts warranty.
WarrantyIdentifier	Pset_Warranty (IFC4) Pset_Warranty (IFC2x3)	Identifier assigned to warranty.
WarrantyPeriod	Pset_Warranty (IFC4) Pset_Warranty (IFC2x3)	
WarrantyStartDate	NATSPEC BIM COBie_Component Pset_Warranty (IFC4) Pset_Warranty (IFC2x3)	Format: YYYY-MM-DD.
Geometric data		
GrossArea	Qto_CoveringBaseQuantities (IFC4) NATSPEC BIM	
Height	NATSPEC BIM	
Length	NATSPEC BIM	
MaterialThickness	BIM Forum	
NetArea	Qto_CoveringBaseQuantities (IFC4)	Takes all openings into account.
NominalHeight	COBie_ElementType COBie_Specification	Typically the vertical characteristic dimension of the object.
NominalLength	COBie_ElementType COBie_Specification	Typically the primary or larger of the two perpendicular horizontal dimensions of the object.
NominalWidth	COBie_ElementType COBie_Specification	Typically the secondary or smaller of the two perpendicular horizontal dimensions of the object.
Size	COBie_ElementType COBie_Specification	

Thickness	NATSPEC Spec NATSPEC BIM	
TileLength	PSet_CoveringCeiling (IFC4) PSet_CoveringCeiling (IFC2x3)	
TileWidth	PSet_CoveringCeiling (IFC4) PSet_CoveringCeiling (IFC2x3)	
TotalThickness	PSet_CoveringCommon (IFC2x3)	
Width	NATSPEC BIM Qto_CoveringBaseQuantities (IFC4)	
Manufacturer data		
Accessories	NATSPEC BIM	Details of available accessories.
ArticleNumber	Pset_ManufacturerTypeInformation (IFC4) Pset_ManufacturerTypeInformation (IFC2x3)	Reference applied to product, according to scheme for article number definition defined by manufacturer. Often used as purchasing number.
AssemblyPlace	NATSPEC BIM Pset_ManufacturerTypeInformation (IFC4)	Defines where assembly is to take place. Complete value with: SITE, FACTORY or NOTDEFINED (IfcAssemblyPlaceEnum)
Availability	NATSPEC BIM	
BarCode	COBiePset_ManufacturerOccurrence (IFC4) Pset_ManufacturerOccurrence (IFC2x3)	Bar code given to occurrence of the product.
BatchReference	Pset_ManufacturerOccurrence (IFC4) Pset_ManufacturerOccurrence (IFC2x3)	Identity of the batch from which the occurrence of the product is taken.
Defects	NATSPEC BIM	To record any defects found.
GlobalTradeItemNumber	Pset_ManufacturerTypeInformation (IFC4)	GTIN is an identifier for trade items developed by GS1 (www.gs1.org).
	COBieNATSPEC BIM	

Manufacturer	Pset_ManufacturerTypeInformation (IFC4) NATSPEC Spec Pset_ManufacturerTypeInformation (IFC2x3)	Name of the manufacturer (or assembler).
ManufacturerURL	NATSPEC BIM	URL hyperlink to the manufacturer's website.
ModelLabel	Pset_ManufacturerTypeInformation (IFC4) NATSPEC BIM	The descriptive model name of the product model (or product line) as assigned by the manufacturer of the manufactured item.
ModelLabel	Pset_ManufacturerTypeInformation (IFC2x3)	The model number and/or unit designator assigned by the manufacturer of the manufactured item.
ModelReference	Pset_ManufacturerTypeInformation (IFC4) NATSPEC BIM NATSPEC Spec	The model number or designator of the product model (or product line) as assigned by the manufacturer of the manufactured item.
ModelReference	Pset_ManufacturerTypeInformation (IFC2x3)	The name of the manufactured item as used by the manufacturer.
OrderNumber	NATSPEC BIM	
PointOfContact	Pset_Warranty (IFC4) Pset_Warranty (IFC2x3)	Organization that should be contacted for action under the terms of the warranty.
ProductInformation	NATSPEC BIM	A valid URL hyperlink to further product information, such as technical documentation, installation guides, etc.
ProductType	NATSPEC BIM	
ProductionYear	Pset_ManufacturerTypeInformation (IFC4) NATSPEC BIM Pset_ManufacturerTypeInformation (IFC2x3)	
SerialNumber	COBiePset_ManufacturerOccurrence (IFC4) NATSPEC BIM Pset_ManufacturerOccurrence (IFC2x3)	Serial number assigned to an occurrence of a product.
Performance data		

AcousticRating	NATSPEC BIM PSet_CoveringCommon (IFC4) NATSPEC Spec PSet_CoveringCommon (IFC2x3)	Acoustic rating for the object. Indicates the sound transmission resistance of the object by an index ratio.
ThermalTransmittance	PSet_CoveringCommon (IFC4)	Thermal transmittance coefficient (U-Value).
Scheduling data		
DeliverBy	NATSPEC BIM	
FabricationTime	NATSPEC BIM	
InstallationSequence	NATSPEC BIM	
InstallationTime	NATSPEC BIM	
LeadTime	NATSPEC BIM	
Spatial and location data		
FloorID	NATSPEC BIM	
GISTag	NATSPEC BIM	
GPSTag	NATSPEC BIM	
SpaceID	NATSPEC BIM	
Specification data		
CeilingAttenuationClass	BIM Forum	
Color	COBie_ElementTypeCOBie_Specification	
Combustible	PSet_CoveringCommon (IFC4) PSet_CoveringCommon (IFC2x3)	Is object made from combustible material. Complete value with: TRUE or FALSE (IfcBoolean)
Finish	NATSPEC BIM COBie_ElementType COBie_Specification PSet_CoveringCommon (IFC4) NATSPEC	Specification of surface finish.

	SpecPSet_CoveringCommon (IFC2x3)	
FixingMethod	NATSPEC Spec	
FragilityRating	PSet_CoveringCommon (IFC4) PSet_CoveringCommon (IFC2x3) PSet_CoveringCeiling (IFC2x3)	
Grid	BIM ForumNATSPEC Spec	
IsExternal	PSet_CoveringCommon (IFC4)	Complete value with: TRUE or FALSE (IfcBoolean)
Material	BIM ForumNATSPEC BIM COBie_ElementTypeCOBie_Specification NATSPEC SpecPSet_CoveringCommon (IFC2x3)	
Permeability	PSet_CoveringCeiling (IFC4) PSet_CoveringCeiling (IFC2x3)	Ratio of the permeability.
SeismicBracing	BIM ForumBIM ForumNATSPEC Spec NATSPEC Spec	
SpecificationCode	NATSPEC BIM	
SpecificationSystem	NATSPEC BIM	
SpecificationTitle	NATSPEC BIM	
Trim	NATSPEC Spec	
Sustainability data		
CarbonFootprint	NATSPEC BIM	
ItemIsNew	NATSPEC BIM	
ItemIsPartiallyRecycled	NATSPEC BIM	

ItemIsRecycled	NATSPEC BIM	
PostConsumerRecycledContent	NATSPEC BIM	
PostIndustrialRecycledContent	NATSPEC BIM	
PreConsumerRecycledContent	NATSPEC BIM	
RecycledContent	NATSPEC BIM	